

VELISTATM **FUNGICIDE**

Revision Date (Y-M-D): 2016-06-24

SECTION 1: PRODUCT INFORMATION

Product Identifier: VELISTA[™] FUNGICIDE

Formulation Number: A20744D

Registration Number: 30334 (Pest Control Products Act)

Product Use: Fungicide for use on turf grass. Please reference the approved product label for further details.

Syngenta Canada Inc.

140 Research Lane, Research Park

Guelph, ON N1G 4Z3

MSDS prepared by: Department of Regulatory & Biological Assessment, Syngenta Canada Inc.

For further information, contact: 1-87-SYNGENTA (1-877-964-3682)

In Case of Emergency, Call: 1-800-327-8633 (FAST MED)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with UN GHS Version 5.

Hazard Classification(s): Acute Toxicity (Inhalation) – Category 4

Aquatic Acute Toxicity – Category 1 Aquatic Chronic Toxicity – Category 1

Eye Irritation – Category 2B

Specific Target Organ Toxicity (STOT) Single Exposure – Category 3 Specific Target Organ Toxicity (STOT) Repeated Exposure – Category 2

Hazard Symbol(s):



Signal Word: WARNING

Hazard Statement(s): H320 – Causes eye irritation.

H332 - Harmful if inhaled.

H335 – May cause respiratory irritation.

H373 – May cause damage to organs through prolonged or repeated exposure.

H400+H410 – Very toxic to aquatic life with long lasting effects.

Precautionary Statement(s):

Prevention: P102 – Keep out of reach of children.

P260 – Do not breathe dust/fume/gas/mist/vapours/spray.

P264 – Wash thoroughly after handling.

P270 – Do not eat, drink or smoke when using this product. P271 – Use only outdoors or in a well-ventilated area.

P273 – Avoid release to the environment.

P280 – Wear protective gloves/protective clothing/eye protection/face protection.



VELISTATM FUNGICIDE

Revision Date (Y-M-D): 2016-06-24

Response: P304+P340 – IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P312 – Call a POISON CENTER/doctor if you feel unwell.

P337+P313 – If eye irritation persists: Get medical advice/attention.

P391 – Collect spillage.

Storage: P403+P233 – Store in a well ventilated place. Keep container tightly closed.

P405 – Store locked-up.

Disposal: P501 – Dispose of contents/container to an approved waste disposal plant.

Other Hazards Which do not To avoid risk to human health and the environment, comply with the instructions for use.

Result in GHS Classification: Contains the allergens sulfites and milk.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Average %
			by weight
N-[2-(1,3-dimethylbutyl)-3-thienyl]-1-methyl-3-	Penthiopyrad	183675-82-3	50
(trifluoromethyl)-1H-pyrazole-4-carboxamide			
Kaolin clay	Kaolin clay	1332-58-7	< 45
Naphthalenesulfonic acid, polymer with	Sodium polynaphthalenesulfonate	9084-06-4	5
formaldehyde, sodium salt			

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

SECTION 4: FIRST AID MEASURES

IF POISONING IS SUSPECTED, immediately contact the poison information centre, doctor or nearest hospital. Have the product container, label or Safety Data Sheet with you when calling Syngenta, a poison control centre or doctor, or going for treatment. Tell the person contacted the complete product name, and the type and amount of exposure. Describe any symptoms and follow the advice given. Call the Syngenta Emergency Line [1-800-327-8633 (1-800-FASTMED)], for further information.

Eye Contact: Flush eyes with clean water, holding eyelids apart for a minimum of 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eyes. Call Syngenta, a poison control centre or doctor for treatment advice. Obtain medical attention immediately if irritation persists.

Skin Contact: Immediately remove contaminated clothing and wash skin, hair and fingernails thoroughly with soap and water. Flush skin with running water for a minimum of 15-20 minutes. Call Syngenta, a poison control centre or doctor for treatment advice.

Inhalation: Move victim to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible. Call Syngenta, a poison control centre or doctor for treatment advice.

Ingestion: If swallowed, immediately contact Syngenta, a poison control centre, doctor or nearest hospital for treatment advice. Have person sip a glass of water if able to do so. Do not give anything by mouth to an unconscious person. Do not induce vomiting unless directed by a physician or a poison control centre. If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing in of vomitus, rinse mouth and administer water.



Revision Date (Y-M-D): 2016-06-24

Most Important Symptoms/Effects, Acute and Delayed:

Causes eye irritation.

Harmful if inhaled.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

Indication of Immediate Medical Attention and Special Treatment:

There is no specific antidote.

Treat symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

Suitable (and Unsuitable) Extinguishing Media: Use foam, carbon dioxide, dry powder, halon extinguishant or water fog or mist. Cool closed containers exposed to fire with water spray. Do not use a solid water stream as it may scatter and spread the fire.

Specific Hazards Arising from the Product: Can decompose at high temperatures forming toxic gases. During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special Protective Equipment and Precautions for Fire-Fighters: Wear full protective clothing and self-contained breathing apparatus. Evacuate non-essential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water run-off can cause environmental damage. Contain run-off water with, for example, temporary earth barriers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Control the spill at its source. Clean up spills immediately, observing precautions outlines in Sections 7 and 8. Use adequate ventilation and equipment and wear clothing as described in Section 8 and/or the product label.

Environmental Precautions: Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Spillages or uncontrolled discharges into watercourses must be reported to the appropriate regulatory body.

Methods and Materials for Containment and Cleaning Up: Scoop or sweep up material and place into a disposal container. Wash area with detergent and water. Pick up wash liquid with additional absorbent and place into a compatible disposal container. On soils, skim off the upper contaminated layer and collect for disposal. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposal.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling: KEEP OUT OF REACH OF CHILDREN. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Avoid breathing vapours, dust or spray mist. Wear full protective clothing and equipment (see Section 8). After work, rinse gloves and remove protective equipment, and wash hands thoroughly with soap and water after handling, and before eating, tobacco use, drinking, applying cosmetics or using the toilet. Wash contaminated clothing before re-use and separate from household laundry. Keep containers closed when not in use. Protect product, wash or rinse water, and contaminated materials from uncontrolled release into the environment, or from access by animals, birds or unauthorized people.

Conditions for Safe Storage, Including Any Incompatibilities: Store in original container in a well-ventilated, cool, dry, secure area. Protect from heat, sparks and flame. Do not expose sealed containers to temperatures above 40 °C. Refer to the product label for specific storage recommendations, including minimum storage temperature and freeze/thaw stability. Keep separate from other products to prevent cross contamination. Rotate stock. Clean up spilled material immediately.

Revision Date (Y-M-D): 2016-06-24

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT.

CONSULT THE PRODUCT LABEL FOR COMMERCIAL AND/OR ON-FARM APPLICATIONS.

Control Parameters:

Component	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA	WHMIS†
				Carcinogen	
Penthiopyrad	Not established	Not established	Not established	No	Not established
Kaolin clay	15 mg/m^3	2 mg/m^3	10 mg/m ³ TWA	No	Not established
	(total);	(respirable)	(total)**;		
	5 mg/m^3		5 mg/m ³ TWA		
	(respirable)		(respirable)**;		
	_		2 mg/m ³ TWA		
			(respirable)		
			(AB/BC/ON);		
			5 mg/m ³ TWA		
			(respirable) (QC)		
Sodium	Not established	Not established	Not established	No	Not established
polynaphthalene					
sulfonate					

- * Recommended by Manufacturer
- ** Recommended by NIOSH
- *** Syngenta Occupational Exposure Limit (OEL)
- **** Recommended by AIHA (American Industrial Hygiene Association)
- † Material listed in Ingredient Disclosure List under the Hazardous Products Act

Appropriate Engineering Controls: If necessary, ensure work areas have ventilation, containment, and procedures sufficient to maintain airborne levels below the TLV (threshold limit value). Warehouses, production areas, parking lots and waste holding facilities must have adequate containment to prevent environmental contamination. Provide separate shower and eating facilities.

Individual Protection Measures:

General: Avoid breathing dust, vapours or aerosols. Avoid contact with eye, skin and clothing. Wash thoroughly after handling and before eating, drinking, applying cosmetics or handling tobacco.

Ingestion: Do not eat, drink, handle tobacco, or apply cosmetics in areas where there is a potential for exposure to this material. Always wash thoroughly after handling.

Eyes: Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and safety shower.

Skin: Where contact is likely, wear chemical-resistant (such as nitrile or butyl) gloves, coveralls, socks and chemical-resistant footwear. For overhead exposure, wear chemical-resistant headgear.

Inhalation: A particulate filter respirator may be necessary until effective engineering controls are installed to comply with occupational exposure limits. Use a NIOSH certified respirator with any N, R, P or HE filter. Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

VELISTA[™] FUNGICIDE

Revision Date (Y-M-D): 2016-06-24

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Granule.

Formulation Type: Wettable granules.

Physical State: Solid, granular.

Odour: Not available.

Odour Threshold: Not available.

pH: Not available.

Melting Point: Not available. Freezing Point: Not applicable.

Initial Boiling Point and Boiling Range: Not applicable.

Flash Point: Not applicable.

Evaporation Rate: Not applicable. Flammability (solid/gas): Not available. Lower Explosive Limit: Not available. Upper Explosive Limit: Not available.

Vapour Pressure: Penthiopyrad: 2.20 x 10⁻⁸ mmHg @ 20 °C.

Vapour Density: Not applicable. Relative Density: Not available.

Solubility(ies): Penthiopyrad: 1.38 mg/L @ 20 °C, pH 7 (water). **Partition Coefficient (n-octanol water):** Penthiopyrad: 4.6

Auto-Ignition Temperature: Not available. **Decomposition Temperature:** Not available.

Viscosity: Not applicable.

Other Information: Not applicable.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical Stability: Stable under normal use and storage conditions.

Possibility of Hazardous Reactions: Not applicable.

Conditions to Avoid: Not applicable. **Incompatible Materials:** Not applicable.

Hazardous Decomposition Products: Can decompose at high temperatures forming toxic gases. During a fire, irritating

and possibly toxic gases may be generated by thermal decomposition or combustion.



VELISTA[™] FUNGICIDE

Revision Date (Y-M-D): 2016-06-24

SECTION 11: TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Dermal, inhalation, oral.

Symptoms of Acute Exposure: Causes eye irritation. Harmful if inhaled.

Potential Health Effects: May cause respiratory irritation. May cause damage to organs through prolonged or repeated

exposure.

Acute Toxicity/Irritation Studies (Finished Product):

Ingestion: <u>Low Acute Toxicity</u>

Oral (LD50 Rat) > 5,000 mg/kg body weight

Dermal: <u>Low Acute Toxicity</u>

Dermal (LD50 Rat) > 5,000 mg/kg body weight

Inhalation: <u>Low Acute Toxicity</u>

Inhalation (LC50 Rat) > 4.7 mg/L air - 4 hours

Eye Contact: <u>Mildly Irritating (Rabbit)</u>

Skin Contact: Non-Irritating (Rabbit)

Skin Sensitization: Not a Sensitizer (Guinea Pig)

Specific Target Organ Toxicity (STOT) Single Exposure:

Penthiopyrad: Not classified as a specific target organ toxicant, single exposure.

Specific Target Organ Toxicity (STOT) Repeated Exposure:

Penthiopyrad: Oral multiple species. The following effects occurred at levels of exposure that significantly

exceed those expected under normal labeled usage conditions. Reduce body weight gain, liver effects, thyroid effects, spleen effects, gallbladder effects, liver enlargement, immune system

effects, altered blood chemistry, organ weight changes, increased liver weight.

Carcinogenicity:

Penthiopyrad: Not classifiable as a human carcinogen. The following effects occurred at levels of exposure

that significantly exceed those expected under labeled usage conditions. A slight increased

incidence of tumours was observed in animal studies.

Reproductive Toxicity:

Penthiopyrad: No toxicity to reproduction. Animal testing did not show any effects on fertility. The following

effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions. Animal testing showed effects on embryo-fetal development at levels equal to

or above those causing maternal toxicity.

Mutagenicity:

Penthiopyrad: Animal testing did not show any mutagenic effects. Did not cause genetic damage in cultured

bacterial cells. Genetic damage in cultured mammalian cells was observed in some laboratory

tests but not others.

Aspiration Hazard:

Penthiopyrad: Not classified as an aspiration hazard.

Page 6 of 9



Revision Date (Y-M-D): 2016-06-24

Toxicity of Other Components:

The acute toxicity test results reported in Section 11, above, for the finished product take into account any acute hazards related to the "other components" in the formulation.

Kaolin clay: May cause eye and respiratory tract irritation. Long-term exposure to high concentrations of this

dust may produce x-ray evidence of dust in the lungs. Continued long-term exposure may affect

respiratory function in some individuals.

sulfonate:

Sodium polynaphthalene Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eye, nose, throat and lungs. Adverse symptoms may include irritation,

redness and coughing. Repeated or prolonged inhalation of dust may lead to chronic respiratory

irritation.

SECTION 12: ECOLOGICAL INFORMATION

Eco-Acute Toxicity:

Penthiopyrad:

Invertebrates (Water Flea) 48-hour LC₅₀/EC₅₀ 2.53 ppm Fish (Rainbow Trout) 96-hour LC₅₀/EC₅₀ 0.290 ppm

Persistence & Degradability:

Penthiopyrad: Low persistence in soil.

Bioaccumulation Potential:

BCF < 500; does not bioaccumulate. Penthiopyrad:

Mobility in Soil:

Penthiopyrad: Moderate mobility in soil.

Other Adverse Effects: Not applicable.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Information: Do not reuse containers unless they are specifically designed to be refillable. Empty container retains product residue. Dispose of empty containers in accordance with local regulations. Consult provincial environment ministry for advice on waste disposal. Industrial/commercial waste may be handled at licensed facilities only. Waste shipments must be securely packaged and properly labelled. Only licensed carriers may be used, and proper documents must accompany the shipment.

SECTION 14: TRANSPORT INFORMATION

TDG Classification – Road/Rail:

Not regulated.

Water Transport – International (IMDG):

UN Number: UN 3077

Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Penthiopyrad), Marine Pollutant.

Transport Hazard Class: Class 9 Packing Group: PG III

Environmental Hazards: Marine pollutant.



Revision Date (Y-M-D): 2016-06-24

Air Transport (IATA-DGR):

UN Number:

Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Penthiopyrad).

Transport Hazard Class: Class 9 Packing Group: PG III

Environmental Hazards: Environmentally hazardous.

Special Precautions for User:

Not applicable.

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code:

Not applicable.

SECTION 15: REGULATORY INFORMATION

Hazardous Products Act Information:

This product has been classified in accordance with the amended Hazardous Products Act and the Hazard Criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

Hazardous Products Act Information: WHMIS 2015 Classification

This product is exempt under WHMIS 2015.

Pest Control Products (PCP) Act Registration No.: 30334

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act (PCPA). These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. Read the approved PCPA label prior to using or handling this pest control product.

SECTION 16: OTHER INFORMATION

The information contained herein is offered only as a guide to the handling of this specific material and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive and the manner and conditions of use and handling may involve other and additional considerations. No warranty of any kind is given or implied and Syngenta will not be liable for any damages, losses, injuries or consequential damages which may result from the use of or reliance on any information contained herein. This product is under the jurisdiction of the Pest Control Products Act and is exempt from the requirements for a WHMIS compliant MSDS. Hazardous properties of all ingredients have been considered in the preparation of this SDS. Read the entire SDS for the complete hazard evaluation of this product.

Full Text of Abbreviations:

LC₅₀ – Lethal concentration, 50%

AB - Province of Alberta IMDG – International Maritime Code for Dangerous Goods

BC - Province of British Columbia NTP -National Toxicology Program

BCF – Bioconcentration factor ON - Province of Ontario

OSHA – Occupational Safety & Health Administration EC₅₀ – Effective concentration, 50%

GHS - Globally Harmonized System of Classification and PEL – Permissible Exposure Limit

Labeling of Chemicals TDG - Transportation of Dangerous Goods

TLV - Threshold Limit Value

LD₅₀ – Lethal dose, 50% QC – Province of Quebec IARC - International Agency for Research on Cancer SDS – Safety Data Sheet

IATA-DGR – International Air Transport Association WHMIS – Workplace Hazardous Materials Information Dangerous Goods Regulations

System



VELISTA[™] FUNGICIDE

Revision Date (Y-M-D): 2016-06-24

Changes since last revision: Transferred to newer version of accessible document format.

Revision Date (Y-M-D): 2016-06-24 Supersedes Date (Y-M-D): 2016-05-13

Prepared by: Syngenta Canada Inc. 1-87-SYNGENTA (1-877-964-3682)

Syngenta Canada Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date thereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MECHANTABILITY, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and of the information referred to herein are beyond the control of Syngenta Canada Inc., Syngenta Canada Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

VELISTA[™] and the Syngenta wordmark are trademarks of a Syngenta Group Company.

END OF SAFETY DATA SHEET.