

**SECTION 1: PRODUCT INFORMATION**

**Product Identifier:** HERITAGE MAXX™ FUNGICIDE  
**Formulation Number:** A13972A  
**Registration Number:** 28393 (Pest Control Products Act)  
**Product Use:** Fungicide. Please reference the approved product label for further details.

**Syngenta Canada Inc.**  
**140 Research Lane, Research Park**  
**Guelph, ON N1G 4Z3**

**MSDS prepared by:** Department of Regulatory & Biological Assessment, Syngenta Canada Inc.  
**For further information, contact:** 1-87-SYNGENTA (1-877-964-3682)

**In Case of Emergency, Call: 1-800-327-8633 (FAST MED)**

**SECTION 2: HAZARDS IDENTIFICATION**

Classification in accordance with UN GHS Version 5.

**Hazard Classification(s):** Acute Toxicity (Oral) – Category 4  
 Aquatic Acute Toxicity – Category 2  
 Aquatic Chronic Toxicity – Category 2  
 Eye Irritation – Category 2B  
 Flammable Liquid – Category 4  
 Reproductive Toxicity – Category 1B

**Hazard Symbol(s):**



**Signal Word:** DANGER

**Hazard Statement(s):** H227 – Combustible liquid.  
 H302 – Harmful if swallowed.  
 H320 – Causes eye irritation.  
 H360 – May damage fertility or the unborn child.  
 H401+H411 – Toxic to aquatic life with long lasting effects.

**Precautionary Statement(s):**

**Prevention:** P102 – Keep out of reach of children.  
 P201 – Obtain special instructions before use.  
 P202 – Do not handle until all safety precautions have been read and understood.  
 P210 – Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P260 – Do not breathe dust/fume/gas/mist/vapours/spray.  
 P264 – Wash thoroughly after handling.  
 P270 – Do not eat, drink or smoke when using this product.

P273 – Avoid release to the environment.  
 P280 – Wear protective gloves/protective clothing/eye protection/face protection.

**Response:** P301+P312 – IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
 P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308+P313 – IF exposed or concerned: Get medical advice/attention.  
 P330 – Rinse mouth.  
 P337+P313 – If eye irritation persists: Get medical advice/attention.  
 P370+P378 – In case of fire: Use dry chemical, foam, or CO2 to extinguish.  
 P391 – Collect spillage.

**Storage:** P403+P233 – Store in a well ventilated place. Keep container tightly closed.  
 P405 – Store locked-up.

**Disposal:** P501 – Dispose of contents/container to an approved waste disposal plant.

**Other Hazards Which do not Result in GHS Classification:** To avoid risk to human health and the environment, comply with the instructions for use. Combustible liquid. Can release vapours that form explosive mixtures at temperatures at or above the flash point.

<b>SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS</b>
--

Chemical Name	Common Name	CAS Number	Average % by weight
Tetrahydro-2-furylmethanol	Tetrahydrofurfuryl alcohol (THFA)	97-99-4	Trade Secret
Poly(oxy-1,2-ethanediyl), alpha-[tris(1-phenylethyl)phenyl]-omega-hydroxy-	Ethoxylated triethylphenol	99734-09-5	< 10
Poly(oxy-1,2-ethanediyl), alpha-phosphono-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-	Ethoxylated polyarylphenol phosphate	90093-37-1	< 10
Methyl (αE)-2-[6-(2-cyanophenoxy)-4-pyrimidinyl]oxy-α-(methoxymethylene) benzeneacetate	Azoxystrobin	131860-33-8	8.8

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

<b>SECTION 4: FIRST AID MEASURES</b>
--------------------------------------

**IF POISONING IS SUSPECTED, immediately contact the poison information centre, doctor or nearest hospital.** Have the product container, label or Safety Data Sheet with you when calling Syngenta, a poison control centre or doctor, or going for treatment. Tell the person contacted the complete product name, and the type and amount of exposure. Describe any symptoms and follow the advice given. Call the Syngenta Emergency Line [1-800-327-8633 (1-800-FASTMED)], for further information.

**Eye Contact:** Flush eyes with clean water, holding eyelids apart for a minimum of 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eyes. Call Syngenta, a poison control centre or doctor for treatment advice. Obtain medical attention immediately if irritation persists.

**Skin Contact:** Immediately remove contaminated clothing and wash skin, hair and fingernails thoroughly with soap and water. Flush skin with running water for a minimum of 15-20 minutes. Call Syngenta, a poison control centre or doctor for treatment advice.

**Inhalation:** Move victim to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible. Call Syngenta, a poison control centre or doctor for treatment advice.

**Ingestion:** If swallowed, immediately contact Syngenta, a poison control centre, doctor or nearest hospital for treatment advice. Have person sip a glass of water if able to do so. Do not give anything by mouth to an unconscious person. Do not induce vomiting unless directed by a physician or a poison control centre. If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing in of vomitus, rinse mouth and administer water.

**Most Important Symptoms/Effects, Acute and Delayed:**

Harmful if swallowed.

May irritate the eyes and skin.

Exposure to high vapour levels may cause drowsiness or dizziness.

May damage fertility or the unborn child.

**Indication of Immediate Medical Attention and Special Treatment:**

There is no specific antidote.

Treat symptomatically.

### SECTION 5: FIRE FIGHTING MEASURES

**Suitable (and Unsuitable) Extinguishing Media:** Use foam, carbon dioxide, dry powder, halon extinguishant or water fog or mist. Cool closed containers exposed to fire with water spray. Do not use a solid water stream as it may scatter and spread the fire.

**Specific Hazards Arising from the Product:** Combustible liquid, Class IIIA. Can release vapours that form explosive mixtures at temperatures at or above the flash point. Heavy vapours can flow along surfaces to distant ignition sources and flash back. Can decompose at high temperatures forming toxic gases. During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

**Special Protective Equipment and Precautions for Fire-Fighters:** Wear full protective clothing and self-contained breathing apparatus. Evacuate non-essential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water run-off can cause environmental damage. Contain run-off water with, for example, temporary earth barriers.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment and Emergency Procedures:** Control the spill at its source. Clean up spills immediately, observing precautions outlined in Sections 7 and 8. Use adequate ventilation and equipment and wear clothing as described in Section 8 and/or the product label.

**Environmental Precautions:** Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Spillages or uncontrolled discharges into watercourses must be reported to the appropriate regulatory body.

**Methods and Materials for Containment and Cleaning Up:** Pump or scoop large amounts of liquid into a disposable container. Absorb remaining liquid or smaller spills with clay, sand or vermiculite. Scoop or seep up material and place into a disposal container. Wash area with detergent and water. Pick up wash liquid with additional absorbent and place into a compatible disposal container. On soils, small amounts will naturally decompose. For large amounts, skim off the upper contaminated layer and collect for disposal. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposal.

**SECTION 7: HANDLING AND STORAGE**

**Precautions for Safe Handling:** KEEP OUT OF REACH OF CHILDREN. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Avoid breathing vapours, dust or spray mist. Wear full protective clothing and equipment (see Section 8). After work, rinse gloves and remove protective equipment, and wash hands thoroughly with soap and water after handling, and before eating, tobacco use, drinking, applying cosmetics or using the toilet. Wash contaminated clothing before re-use and separate from household laundry. Keep containers closed when not in use. Protect product, wash or rinse water, and contaminated materials from uncontrolled release into the environment, or from access by animals, birds or unauthorized people.

**Conditions for Safe Storage, Including Any Incompatibilities:** Store in original container in a well-ventilated, cool, dry, secure area. Protect from heat, sparks and flame. Do not expose sealed containers to temperatures above 40 °C. Refer to the product label for specific storage recommendations, including minimum storage temperature and freeze/thaw stability. Keep separate from other products to prevent cross contamination. Rotate stock. Clean up spilled material immediately.

**SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

**THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT.**

**CONSULT THE PRODUCT LABEL FOR COMMERCIAL AND/OR ON-FARM APPLICATIONS.**

**Control Parameters:**

Component	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen	WHMIS†
Tetrahydrofurfuryl alcohol (THFA)	Not established	Not established	0.5 ppm AIHA WEEL****	No	Not established
Ethoxylated triethylphenol	Not established	Not established	Not established	No	Not established
Ethoxylated polyarylphenol phosphate	Not established	Not established	Not established	No	Not established
Azoxystrobin	Not established	Not established	2 mg/m <sup>3</sup> TWA***	No	Not established

\* Recommended by Manufacturer

\*\* Recommended by NIOSH

\*\*\* Syngenta Occupational Exposure Limit (OEL)

\*\*\*\* Recommended by AIHA (American Industrial Hygiene Association)

† Material listed in Ingredient Disclosure List under the Hazardous Products Act

Syngenta Hazard Category: B, S.

**Appropriate Engineering Controls:** If necessary, ensure work areas have ventilation, containment, and procedures sufficient to maintain airborne levels below the TLV (threshold limit value). Warehouses, production areas, parking lots and waste holding facilities must have adequate containment to prevent environmental contamination. Provide separate shower and eating facilities.

**Individual Protection Measures:**

**General:** Avoid breathing dust, vapours or aerosols. Avoid contact with eye, skin and clothing. Wash thoroughly after handling and before eating, drinking, applying cosmetics or handling tobacco.

**Ingestion:** Do not eat, drink, handle tobacco, or apply cosmetics in areas where there is a potential for exposure to this material. Always wash thoroughly after handling.

**Eyes:** Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and safety shower.

**Skin:** Where contact is likely, wear chemical-resistant (such as nitrile or butyl) gloves, coveralls, socks and chemical-resistant footwear. For overhead exposure, wear chemical-resistant headgear.

**Inhalation:** A particulate filter respirator may be necessary until effective engineering controls are installed to comply with occupational exposure limits. Use a NIOSH certified respirator with any N, R, P or HE filter. Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance:** Light-amber to amber liquid.

**Formulation Type:** Emulsifiable concentrate.

**Physical State:** Liquid.

**Odour:** Ether-like.

**Odour Threshold:** Not available.

**pH:** 2 – 6 (1% aqueous solution).

**Melting Point:** Not applicable.

**Freezing Point:** Not available.

**Initial Boiling Point and Boiling Range:** Not available.

**Flash Point:** 75 °C.

**Evaporation Rate:** Not available.

**Flammability (solid/gas):** Combustible liquid, Class IIIA.

**Lower Explosive Limit:** Not available.

**Upper Explosive Limit:** Not available.

**Vapour Pressure:** Azoxystrobin:  $8.30 \times 10^{-13}$  mmHg @ 20 °C.

**Vapour Density:** Not available.

**Relative Density:** 1.08 g/mL @ 20 °C.

**Solubility(ies):** Azoxystrobin: 6.7 mg/L @ 20 °C, pH 7 (water).

**Partition Coefficient (n-octanol water):** Azoxystrobin: 2.5

**Auto-Ignition Temperature:** 265 °C.

**Decomposition Temperature:** Not available.

**Viscosity:** 23 mPa·s (or cps) @ 20 °C.

**Other Information:** Combustible liquid, Class IIIA. Can release vapours that form explosive mixtures at temperatures at or above the flash point.

**SECTION 10: STABILITY AND REACTIVITY**

**Reactivity:** Not reactive.

**Chemical Stability:** Stable under normal use and storage conditions.

**Possibility of Hazardous Reactions:** Combustible liquid, Class IIIA. Can release vapours that form explosive mixtures at temperatures at or above the flash point.

**Conditions to Avoid:** Heat, hot surfaces, sparks, open flames, sources of ignition.

**Incompatible Materials:** No substances are known which lead to the formation of hazardous substances or thermal reactions.

**Hazardous Decomposition Products:** Can decompose at high temperatures forming toxic gases. During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

**SECTION 11: TOXICOLOGICAL INFORMATION**

**Likely Routes of Exposure:** Dermal, inhalation, oral.

**Symptoms of Acute Exposure:** Harmful if swallowed. May irritate the eyes and skin. Exposure to high vapour levels may cause drowsiness or dizziness.

**Potential Health Effects:** May damage fertility or the unborn child.

**Acute Toxicity/Irritation Studies (Finished Product):**

Ingestion:	<u>Slightly Acutely Toxic</u> Oral (LD50 Rat)	1,714 mg/kg body weight
Dermal:	<u>Low Acute Toxicity</u> Dermal (LD50 Rabbit)	> 5,000 mg/kg body weight
Inhalation:	<u>Low Acute Toxicity</u> Inhalation (LC50 Rat)	> 6.4 mg/L air – 4 hours
Eye Contact:	<u>Mildly Irritating (Rabbit)</u>	
Skin Contact:	<u>Slightly Irritating (Rabbit)</u>	
Skin Sensitization:	<u>Not a Sensitizer (Guinea Pig)</u>	

**Specific Target Organ Toxicity (STOT) Single Exposure:**

Azoxystrobin: Not classified as a specific target organ toxicant, single exposure.

**Specific Target Organ Toxicity (STOT) Repeated Exposure:**

Azoxystrobin: Not classified as a specific target organ toxicant, repeated exposure.

**Carcinogenicity:**

Azoxystrobin: Did not show carcinogenic effects in animal experiments.

**Reproductive Toxicity:**

Azoxystrobin: Did not show reproductive toxicity effects in animal experiments.

**Mutagenicity:**

Azoxystrobin: Did not show mutagenic effects in animal experiments.

**Aspiration Hazard:**

Azoxystrobin: Not classified as an aspiration hazard.

**Toxicity of Other Components:**

The acute toxicity test results reported in Section 11, above, for the finished product take into account any acute hazards related to the “other components” in the formulation.

Tetrahydrofurfuryl alcohol (THFA):	May be harmful if swallowed. Causes respiratory tract irritation. May cause digestive tract irritation. Causes severe eye irritation. Inhalation overexposure may cause dizziness, incoordination and unconsciousness. Chronic overexposure may affect the kidney.
Ethoxylated triethylphenol:	The acute toxicity results reported in Section 11, above, for the finished product take into account any acute hazards related to the ethoxylated triethylphenol in the formulation.
Ethoxylated polyarylphenol phosphate:	Causes serious eye irritation.

**SECTION 12: ECOLOGICAL INFORMATION**

**Eco-Acute Toxicity:**

Azoxystrobin:		
Invertebrates (Water Flea) 48-hour LC <sub>50</sub> /EC <sub>50</sub>		0.28 ppm
Fish (Rainbow Trout) 96-hour LC <sub>50</sub> /EC <sub>50</sub>		0.47 ppm
Birds (5-day dietary – Mallard Duck) LC <sub>50</sub> /EC <sub>50</sub>		> 5,290 ppm

**Persistence & Degradability:**

Azoxystrobin: Moderately persistent in soil. Moderately persistent in water.

**Bioaccumulation Potential:**

Azoxystrobin: BCF < 500; does not bioaccumulate.

**Mobility in Soil:**

Azoxystrobin: Low to moderate mobility in soil.

**Other Adverse Effects:** Not applicable.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal Information:** Do not reuse containers unless they are specifically designed to be refillable. Empty container retains product residue. Dispose of empty containers in accordance with local regulations. Consult provincial environment ministry for advice on waste disposal. Industrial/commercial waste may be handled at licensed facilities only. Waste shipments must be securely packaged and properly labelled. Only licensed carriers may be used, and proper documents must accompany the shipment.



**SECTION 14: TRANSPORT INFORMATION****TDG Classification – Road/Rail :**

Not regulated

**Land Transport (NAFTA) (> 450 L):**

Identification Number: NA 1993

Proper Shipping Name: Combustible Liquid, N.O.S. (Tetrahydrofurfuryl Alcohol).

Transport Hazard Class: Combustible liquid.

Packing Group: PG III

**Water Transport – International (IMDG):**

UN Number: UN 3082

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Azoxystrobin), Marine Pollutant.

Transport Hazard Class: Class 9

Packing Group: PG III

Environmental Hazards: Marine pollutant.

**Air Transport (IATA-DGR):**

UN Number: UN 3082

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Azoxystrobin).

Transport Hazard Class: Class 9

Packing Group: PG III

Environmental Hazards: Environmentally hazardous.

**Special Precautions for User:**

Not applicable.

**Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code:**

Not applicable.

**SECTION 15: REGULATORY INFORMATION****Hazardous Products Act Information:**

This product has been classified in accordance with the amended Hazardous Products Act and the Hazard Criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

**Hazardous Products Act Information: WHMIS 2015 Classification**

This product is exempt under WHMIS 2015.

**Pest Control Products (PCP) Act Registration No.: 28393**

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act (PCPA). These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. Read the approved PCPA label prior to using or handling this pest control product.



**SECTION 16: OTHER INFORMATION**

The information contained herein is offered only as a guide to the handling of this specific material and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive and the manner and conditions of use and handling may involve other and additional considerations. No warranty of any kind is given or implied and Syngenta will not be liable for any damages, losses, injuries or consequential damages which may result from the use of or reliance on any information contained herein. This product is under the jurisdiction of the Pest Control Products Act and is exempt from the requirements for a WHMIS compliant MSDS. Hazardous properties of all ingredients have been considered in the preparation of this SDS. Read the entire SDS for the complete hazard evaluation of this product.

## Full Text of Abbreviations:

AB – Province of Alberta

BC – Province of British Columbia

BCF – Bioconcentration factor

EC<sub>50</sub> – Effective concentration, 50%

GHS – Globally Harmonized System of Classification and Labeling of Chemicals

LC<sub>50</sub> – Lethal concentration, 50%LD<sub>50</sub> – Lethal dose, 50%

IARC – International Agency for Research on Cancer

IATA-DGR – International Air Transport Association Dangerous Goods Regulations

IMDG – International Maritime Code for Dangerous Goods

NTP – National Toxicology Program

ON – Province of Ontario

OSHA – Occupational Safety &amp; Health Administration

PEL – Permissible Exposure Limit

TDG – Transportation of Dangerous Goods

TLV – Threshold Limit Value

QC – Province of Quebec

SDS – Safety Data Sheet

WHMIS – Workplace Hazardous Materials Information System

Changes since last revision: Converted to SDS format.

Revision Date (Y-M-D): 2016-09-19

Supersedes Date (Y-M-D): 2014-12-31

Prepared by: Syngenta Canada Inc.

1-87-SYNGENTA (1-877-964-3682)

Syngenta Canada Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date thereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and of the information referred to herein are beyond the control of Syngenta Canada Inc., Syngenta Canada Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

HERITAGE MAXX™ and the Syngenta wordmark are trademarks of a Syngenta Group Company.

END OF SAFETY DATA SHEET.