

SAFETY DATA SHEET

This SDS complies with REACH 1907/2006 and 2001/58/EC, GHS REVISION 5, OSHA 29CFR 1910.1200

Section 1: Chemical Product and Company Identification

MANUFACTURER'S NAME EMERGENCY TELEPHONE

HydroGro

Signal word:

7201 East Camelback Road, Suite 295

Scottsdale, AZ 85251 USA

EMERGENCY TELEPHONE

Chemtrec U.S.-Canada: 800-424-9300 Chemtrec International: 703-527-3887

Information: (480) 248-9336 Fax: (480) 248-9337

DATE PREPARED: September 13, 2015 **REVISION DATE: September 24, 2015**

PRODUCT NAME: MIKROPAK
FORMULA: Preparation/Mixture

PRODUCT USE: Supplement for professionally maintained golf courses, sport turf, lawn and landscaping

Section 2: Hazards Identification

(1)

GHS Hazard Class Acute toxicity (oral) – Category 4

Serious eye irritation - Category 2

Skin irritation – Category 3

Specific target organ toxicity - Single Exposure - Category 3

Warning

Hazard Statement: H302: Harmful if swallowed

H316: Causes mild skin irritation H318: Causes serious eye irritation

371: May cause damage to organs (gastrointestinal tract

Precautionary Statements: Prevention P201: Obtain special instructions before use.

P281: Use personal protective equipment as required. P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

Response P308+P313: IF exposed or concerned: Get medical advice/attention

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

P330: Rinse mouth.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P264: Wash hands thoroughly after handling.

P391: Collect spillage.

Storage P405: Store locked up.

Disposal P501: Dispose of contents/container in accordance with waste disposal requirements of your country,

state, or local authorities

Hazards not otherwise classified (HNOC) or not covered by GHS - None

HAZARD CLASSIFICATION: Not classified as hazardous based on IATA, IMDG, and DOT.

FIRE AND EXPLOSION: Not considered flammable or combustible, but this product will burn if involved in a fire.

Product emits toxic fumes when burned.

POTENTIAL HEALTH EFFECTS: <1 % of mixture consists of ingredients of unknown acute toxicity

APPEARANCE: Tan -Blend of crystals and powders

Product: MIKROPAK SDS Page 1 of 6



| Component | Health (Blue) | Flammability (Red) | Reactivity (Yellow) | Special (White) |
|-----------|------------------|-----------------------|------------------------|-----------------|
| MIKROPAK | 2 | 0 | 1 | |

Section 3: Composition, Information on Ingredients

| PRODUCT COMPOSITION | APPROX % | CAS NO. | EC NUMBER | CANADA DSL |
|---------------------------|-------------|------------|-----------|---------------|
| Non-hazardous ingredients | <80 | | | |
| Iron EDTA | <10 | 15708-41-5 | 239-802-2 | Y |
| Manganese Sulphate | <10 | 10034-96-5 | 232-089-9 | N |
| Magnesium Sulphate | <10 | 10034-99-8 | 31-298-2 | Y |
| Zinc Sulfate | <5 | 7446-20-0 | 231-793-3 | Y |

Some items on this SDS may be designated as trade secrets (TS). Bonafide requests for disclosure of trade secret information to medical personnel must be made in accordance with the provisions contained in 29 CFR 1910.1200 I 1-13.

Section 4: First Aid Measures

Description of First Aid Measures

Inhalation Remove to fresh air. If not breathing, provide CPR (cardio pulmonary

resuscitation). Get immediate medical attention.

Skin Contact Immediately wash skin with plenty of soap and water for at least 15 minutes.

Remove contaminated clothing.

Eye Contact Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate

medical attention.

Ingestion Do not induce vomiting. Never give anything to an unconscious person. Get

immediate medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms/Injuries after Inhalation Causes respiratory tract irritation. Product is an irritant to the respiratory system

and can cause metal fume fever.

Symptoms/Injuries after Skin Contact Causes skin irritation. Symptoms may include redness, drying, defatting, and

cracking of the skin.

Symptoms/Injuries after Eye Contact Causes eye irritation. Symptoms may include discomfort or pain, excess

blinking and tear production, with possible redness and swelling.

Symptoms/Injuries after Ingestion May be harmful if swallowed. Effects may include diarrhea, bloody diarrhea,

vomiting, CNS depression, lack of reflexes, hypocalcemia, hypoglycemia, lethargy, shock, increased acidity in the blood, bluish skin discoloration, fever, liver damage

and possible death.

Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately.

Section 5: Fire-fighting Measures

Suitable extinguishing media

Special hazards arising from the substance or mixture Protective actions fire-fighters

Use foam, dry chemical, carbon dioxide, or any media suitable to extinguish the surrounding fire.

Release of toxic NOx, Sox, metal oxides and NH3 gases when burned. Wear standard protective equipment and self contained breathing apparatus for firefighting if necessary

Product: MIKROPAK SDS Page 2 of 6



Decomposes on heating. This produces sulfur oxides and manganese oxides

Section 6: Accidental Release Measures

Personal precautions, protective equipment, and emergency procedures

Wear proper personal protective equipment. Avoid breathing dust.

Environmental precautions

Prevent further spillage if safe to do so. Prevent spills or contaminated rinse water from entering sewers or watercourses.

Methods and materials for containment and cleaning up

In case of small spills, use appropriate tools to put the spilled material in a plastic container. Dispose of according to the requirements of your country, state, or local authorities.

In case of large spills, use a shovel to put the material into a plastic container. Dispose of according to the requirements of your country, state, or local authorities.

Reference to other Sections For personal protection reference section 8. For disposal reference section 13.

Section 7: Handling and Storage

Precautions for safe handling

Use only with adequate ventilation.

Do not inhale dust.

Keep out of reach of children.

Wear proper protective equipment when handling this material.

Avoid contact with skin, eyes, or clothing.

Wash hands and face after handling this material.

A plastic container should be used for disposal.

For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Store upright in a cool, dry place.

Keep container closed when not in use.

Keep away from heat, sparks, flame, direct sunlight, and other possible sources of ignition.

Do not store with acid, metallic oxides, amines, or combustible materials.

Utilize chemical segregation.

Follow all applicable local regulations for handling and storage.

Specific uses

This product is intended to be used as a supplement for professionally maintained golf courses, sport turf, landscaping and specialty crops.

Section 8: Exposure Controls/Personal Protection

Control Parameters

| PRODUCT COMPOSITION | ACGIH TLV | OSHA PEL | NIOSH REL |
|-----------------------------------|--------------|-------------|--------------|
| Iron Glycinate EDTA | | | |
| Manganese Sulphate (Mn compounds) | 5 mg/m³ | 5 mg/m³ | |
| Magnesium Sulphate | | | |
| Zinc Sulphate | | | |

NIOSH-- No Occupational exposure values

Exposure controls

Product: MIKROPAK SDS Page 3 of 6



VENTILATION: Always provide good general, mechanical room ventilation where this

chemical/material is used.

SPECIAL VENTILATION CONTROLS: None

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or the CEN RESPIRATORY PROTECTION:

European Standards (EU). Use a NIOSH/MSHA or European Standard (EN) approved respirator if exposure limits are exceeded or if irritation or other

symptoms are experienced.

PROTECTIVE GLOVES: Neoprene, butyl, or nitrile rubber gloves are recommended. EYE PROTECTION: Recommend eye protection using safety glasses or goggles. SKIN PROTECTION:

Suitable protective clothing to prevent skin contact

WORK/HYGIENE PRACTICES: Avoid breathing dust. Avoid contact with eyes. Wash hands after handling. Make safety shower, eyewash stations, and hand washing equipment available in OTHER EQUIPMENT:

the work area.

Section 9: Physical and Chemical Properties

| | PRODUCT CRITERIA |
|--|---------------------------------|
| APPEARANCE - COLOR: | Tan |
| PHYSICAL STATE: | Blend of crystals and powders |
| ODOR: | None |
| ODOR THRESHOLD | No data available |
| PH | 4.4 – when mixed with water |
| MELTING POINT/FREEZING POINT: | No data available |
| INITIAL BOILING POINT AND BOILING RANGE: | No data available |
| FLASH POINT: | No data available |
| EVAPORATION RATE: | No data available |
| FLAMMABILITY (Solid, gas) | Not flammable |
| UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS | Not Measured |
| VAPOR PRESSURE | No data available |
| VAPOR DENSITY (AIR = 1) | No data available |
| RELATIVE DENSITY (@25°C): | 1.0-1.2 g/ml (tapped 1.14 g/ml) |
| SOLUBILITY(IES) | Soluble in water |
| OXIDIZING PROPERTIES | Not an oxidizer |
| PARTITION COEFFICIENT: n-octanol/water | No data available |
| AUTO IGNITION TEMPERATURE | No data available |
| DECOMPOSITION TEMPERATURE | No data available |
| VISCOSITY | No data available |

Section 10: Stability and Reactivity

Reactivity: Reacts with strong acids and strong oxidizers. Chemical Stability:

Stable under recommended conditions.

Possibility of Hazardous Reactions: Will not occur under normal temperatures and pressures.

Conditions to Avoid: High temperatures, high pressure, increasing the pH, and incompatible materials. Incompatibility (Materials to avoid): Oxidizing agents, metals, lead, calcium, strontium salts borax, hydroxides, silver

proteins, tannins, ethoxy ethyl alcohols, arsenates, phosphates, tartrates, barium,

and powdered metals.

Hazardous Decomposition Products: Decomposition products include NOx, SOx, metals oxides and NH3.

Section 11: Toxicological Information

GHS Required Criteria Toxicity Criteria Chemical Constituent **Toxicity Information** Comments

> Product: MIKROPAK SDS Page 4 of 6



| | LD50(Oral/Rat): | 5 g/kg | | Iron EDTA |
|--|---|--------------------|------------|--------------------|
| | LD50(Oral/Rat): | >3000 mg/kg | | Magnesium Sulphate |
| | LD50(Oral/Rat): | 2150 mg/kg | | Zinc Sulphate |
| Skin Corrosion/Irritation | May cause mild skin irritation | | | Zinc Sulphate |
| Serious Eye Damage / Eye Irritation | Causes serious eye irritation | | | Zinc Sulphate |
| Respiratory or Skin Sensitization | Data not available | | | |
| Germ Cell Mutagenicity | Data not available | | | |
| Carcinogenicity | NTP | Not listed | | |
| | IARC | Not listed | | |
| | OSHA | Not listed | | |
| Reproductive Toxicity | No data available | | | |
| STOT Single Exposure | May cause damage to organs (gastrointestinal tract) | | Category 2 | Zinc Sulphate |
| STOT – Repeated Exposure | No data available | | | |
| Aspiration Hazard | | Data not available | | |

STOT = Specific Target Organ Toxicity

Section 12: Ecological Information

Chemical Constituent

| Toxicity: | LC50 Fish (Lepomis macrochirus) 41mg/l, 96hr. | Iron Glycinate EDTA |
|--------------------------------|--|---------------------|
| | LC50 Crustacean (Ceriodaphnia) 0.095 mg/l, 48hr | Zinc Sulphate |
| | Hazardous to the aquatic environment, long-term hazard | Manganese Sulphate |
| Persistence and degradability: | No information is available. | |
| Bioaccumulative potential | No information is available. | |
| Mobility in soil: | No information is available. | |
| PBT and vPvB assessment: | PBT/vPvB assessment not available as chemical assessment | |
| | not required/not conducted | |
| Other adverse effects: | No information is available. | |

Section 13: Disposal Considerations

Waste from residues/unused products: Follow the waste disposal requirements of your country, state, or local authorities.

Contaminated packaging: Contaminated packaging material should be disposed of as stated above for residues and unused product.

Rinsate: Do not dispose of rinse water containing product in a sanitary sewer system or stormwater drainage system.

Section 14: Transport Information

DOT TRANSPORT:Not RegulatedADR = International Carriage of Dangerous Goods by RoadNot RegulatedRAIL TRANSPORT:Not RegulatedSEA TRANSPORT:IMDGNot RegulatedAIR TRANSPORT:IATA/ICAONot Regulated

Section 15: Regulatory Information

Product: MIKROPAK SDS Page 5 of 6



TOXIC SUBSTANCE CONTROL ACT (TSCA) STATUS:

This product is in compliance with rules, regulations, and orders of TSCA. All components are either listed on the TSCA inventory or are considered exempt.

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA) TITLE III SECTION 313 SUPPLIER NOTIFICATION:

This regulation requires submission of annual reports of toxic chemical(s) that appear in section 313 of the Emergency Planning and Community Right To Know Act of 1986 and 40 CFR 372. This information must be included in all SDS's that are copied and distributed for the material.

The Section 313 toxic chemicals contained in this product are: None

CALIFORNIA PROPOSITION 65:

This regulation requires a warning for California Proposition 65 chemical(s) under the statute.

The California proposition 65 chemical(s) contained in this product are: None

STATE RIGHT-TO-KNOW TOXIC SUBSTANCE OR HAZARDOUS SUBSTANCE LIST:

Massachusetts's hazardous substance(s):
New Jersey
Not listed
Pennsylvania
Not listed
Not listed

WHMIS-2015: This SDS is in compliance with WHMIS 2015 (HPR / new HPA).

EUROPEAN UNION:

This product has been reviewed for compliance with the following European Community Directives: REACH 1907/2006; Regulation (EC) No 1272/2008 on classification, labeling, and packaging (CLP) of substances and mixtures.

Section 16: Other Information

Initial issue date: September 13, 2015 Final revision date: September 24, 2015

Revision Number:

Revision explanation Initial version

Information Sources: RTECS, ECHA, REACH, OSHA 29CFR 1910.1200

"Disclaimer: This document is generated to distribute health, safety and environmental data. It is not a specification sheet and none of the displayed data should be construed as a specification. Information on this SDS sheet was obtained from sources which we believe are reliable, and we believe that the information is complete and accurate. However, the information is provided without any warranty, express or implied, regarding its correctness. Some of the information presented and conclusions drawn are from sources other than direct test data of the substance. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may also be beyond our knowledge. It is the user's responsibility to determine the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. If the product is used as a component in another product, this SDS information may not be applicable. For these reasons, we do not assume any responsibility and expressly disclaim liability for any loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of this product."

